Nightingale

User Handbook



EC2

235 Series

Thank you for choosing Nightingale.

Proudly designed and manufactured in Canada since 1928, every Nightingale chair reflects nearly a century of craftsmanship, thoughtful innovation, and dependable performance. We hope it supports your work comfortably and reliably for years to come.





A Pneumatic Height Adjustment

To lower, lift the lever up while seated. To raise, lift the lever up with your weight off the seat.



B Multi-Position Tilt Lock

Lift the lever to unlock, push it down to lock.



C Tension Knob

Turn the knob clockwise to increase tension, turn counter-clockwise to decrease tension.

Care Instructions

With regular care and maintenance, your EC2 will provide many years of superior performance and satisfaction. To maintain the quality of your Nightingale chairs, please follow the care instructions outlined here.

Mechanism
Once a year, lubricate the mechanism using light sewing-machine oil or a similar product. Use the plastic straw attached to the sprayer. To prevent dripping and possible damage to surrounding surfaces, avoid over-lubrication.

Plastic Parts
To clean, spray with a mild detergent and wipe it clean with a cloth dampened with water. Do not use abrasives or excessive amounts of cleaner.

Warranty and Care
For complete warranty coverage, terms, exclusions, and product care information, please visit www.nightingalechairs.com



www.nightingalechairs.com
2301 Dixie Road, Mississauga, ON, Canada L4Y 1Z9