

FRIO

User Handbook

 **Nightingale**



2300 Series

nightingalechairs.com

Congratulations, this FRIO is yours.

Please read and understand this user handbook
before operating this office chair.



2300

Using & Adjusting Your FRIO



A

Pneumatic Height Adjustment

To lower, tilt the lever up while seated. To raise, tilt the same lever up with all weight off the seat.

B

Slide Controller

Lift far-right back lever up to unlock. While lever is activated, move seat to desired position while seated and release to lock.



C

Tilt Lock

Push lever forward to lock.
Push lever back for free float.



D

4D Arm Adjustment

To adjust arm height, lift trigger and move into desired position; release to lock. To pivot, twist arm pads to angle—auto-locks. To adjust arm width, open lever to unlock. Adjust desired position—close lever to lock.



E

Adjustable Head Rest

Simply tilt head rest to desired angle. To adjust height, pull head rest using both hands to desired position and release to set in place.

Care Instructions

With regular care and maintenance, your Frio™ will provide many years of superior performance and satisfaction. To maintain the quality of your Nightingale chair, please follow the cleaning instructions outlined here.

Mechanism

Once a year, lubricate using light sewing machine oil or similar product. (Spray with plastic straw attached to sprayer). NOTE: To prevent dripping, avoid over lubrication which may cause damage to surrounding surfaces.

Plastic Parts

To clean, spray with a mild detergent and wipe off using a damp (water) cloth. Do not use abrasives or excessive amounts of cleaner.

Frame

Powder coat frames can be cleaned by wiping with a damp cloth and any mild detergent.

*The instruction for the care and maintenance of Nightingale Products are provided to you as a service. No warranty is implied since results may vary.

FOR MORE INFORMATION, PLEASE VISIT

www.nightingalechairs.com



Nightingale Corp.
T 1.800.363.8954
F 1.800.637.6784

www.nightingalechairs.com
info@nightingalechairs.com



bultropowered



RECYCLABLE