Nightingale

WXO


5800M / 5800UFST / 5800UF



An elegant, ergonomic chair for both compact and large workstations, combining comfort with refined simplicity. Its streamlined construction uses fewer components while maintaining high performance.



Ergonomic Design.
Breathable Mesh.
Versatile.













Finishes

The options shown below represent only a portion of what is available. Visit our website to explore the full range.

Seat & Back

Black	Silver	Light Grey	Stone	Charcoal	Gris	Dream	Oyster	Chalice	Cyan
Mesh	Mesh	Fedora	Foundation	Fedora	Beehave	Ace	Mingle	Graph	Guild

Frame

Black	White
Frame	Frame

Base

Polished
Aluminum

Key Features

1. Translucent ABLEX™ patterned-weave mesh back and seat. Both can be mesh or upholstered.
2. Height- and width-adjustable arms with lockable, pivoting arm pads.
3. Contoured waterfall seat design helps reduce sitting fatigue.
4. Multi-position mechanism with tilt lock, free-flow, and locked settings. Pneumatic height adjustment. Intelligent synchronous TORGLIDER™ balanced recline mechanism.
5. Five-prong graphite base with dual mag wheel carpet casters.





* ANSI/BIFMA approved and TB117-2013 compliant. Patented.

The Family



5800M
Mid Back Task

Width:	25”
Depth:	22”
Height:	36.5-40”
Seat Height:	16-20.5”
Seat Width:	20”
Seat Depth:	20”
Weight:	40 lbs
Volume:	16 cu ft



5800UFST
Upholstered Seat and Mesh Back

Width:	25”
Depth:	22”
Height:	36.5-40”
Seat Height:	16-20.5”
Seat Width:	20”
Seat Depth:	20”
Weight:	44 lbs
Volume:	16 cu ft



5800UF
Upholstered Seat and Back

Width:	25”
Depth:	22”
Height:	36.5-40”
Seat Height:	16-20.5”
Seat Width:	20”
Seat Depth:	20”
Weight:	44 lbs
Volume:	16 cu ft

Options



Package
White Package (WH)



Arm
Armless (07)



Base
Polished Aluminum Finish (CH)



Stool
Sit/Stand Drafting Stool (DS)



Upholstery
ENERSORB™ Seat Foam (E)

Mesh Silver Mesh (SM)

Caster 3” Carpet Caster (LG),
2” Hard Surface Caster (TC),
3” Hard Surface Caster (TC3)

* For additional information, please visit the official website.
Nightingalechairs.com | +1 800 363 8954