

**IC2**

User Handbook

 **Nightingale**



**7300 Series**

[nightingalechairs.com](http://nightingalechairs.com)

# Congratulations, this IC2<sup>®</sup> is yours.

Please read and understand this user handbook  
before operating this office chair.



7300



7300D-WH-UFST



7300D-WH-UF



7300D-WH




7300-INT-UF

# Using the Features On Your IC2®



## Pneumatic Height Adjustment

To lower, pull lever up while seated. To raise, pull lever up with no weight on the seat.



## Seat Slider

Lift levers up on both sides to unlock. While holding both levers **with no weight on the seat** move seat to desired position and release to lock.



## Infinite Tilt Lock

To lock chair in desired position or free movement, pull lever up and release.



## Tension Knob

Turn clockwise to increase tension, turn counter-clockwise to release tension.



## Arm Height & Width Adjustment

To raise or lower arm height, lift trigger and slide up/down. To adjust width, turn knob on the underside of either arm clockwise and adjust width. To tighten in position, turn the knob counter-clockwise.




## Arm Pivot (i) & Arm Pad Adjustment (ii)

To pivot, press/hold front button to position in/outwards, and release to lock. To adjust arm pad slider, press/hold back button and slide into position, and release to lock.



## Ergonomic Adjustable Headrest

Simply lift or lower headrest to desired position—locks automatically. Headrest can be tilted to desired angle. *(Only available with optional headrest, -INT option is not adjustable)*



## Lumbar Adjustment

To adjust depth of lumbar, turn clockwise to increase and counter-clockwise to decrease depth. To adjust height position, lift or lower lumbar to appropriate height and release—locks automatically.

# Care Instructions

With regular care and maintenance, your IC2® will provide many years of superior performance and satisfaction. To maintain the quality of your Nightingale product, please follow the cleaning instructions outlined here.

## Mechanism

Once a year, lubricate using light sewing machine oil or similar product. (Spray with plastic straw attached to sprayer). NOTE: To prevent dripping, avoid over lubrication which may cause damage to surrounding surfaces.

## NEBULA™ Mesh

Clean with mild detergent and water applied with a clean damp cloth or sponge. Rinse with a damp (water) cloth and let dry. Never use hot water and avoid scrubbing. Use gentle movements.

## Plastic Parts

To clean, spray with a mild detergent and wipe off using a damp (water) cloth. Do not use abrasives or excessive amounts of cleaner.

## Frame

Powder coat frames can be cleaned by wiping with a damp cloth and any mild detergent.

\*The instruction for the care and maintenance of Nightingale Products are provided to you as a service. No warranty is implied since results may vary.

FOR MORE INFORMATION, PLEASE VISIT

[www.nightingalechairs.com](http://www.nightingalechairs.com)



**Nightingale Corp.**  
T 1.800.363.8954  
F 1.800.637.6784  
[www.nightingalechairs.com](http://www.nightingalechairs.com)  
[info@nightingalechairs.com](mailto:info@nightingalechairs.com)



RECYCLABLE