



FEATURES



Model 1301



A. SEAT AND BACK

The back contains an inner plywood shape 7/16" thick, and is fabricated to allow modular construction and ease of part field replacement. High density, high resiliency foam 5" thick, 1.5 lbs. density (1540) inner back pad adds extra comfort and support. The back wood frame is attached to the arm panels with 4 bolts, using metal to metal case-hardened fasteners. The outside back is covered by a thin layer of foam for improved protection of outer edge of the wood and improved aesthetics and is glued to the back

The seat board is plywood 3/4" thick providing an overly generous seating area. Seat foam is fabricated 1.8 lbs. high density foam (1845) with a minimum thickness of 3". The seat wood frame is bolted to the arm panels at 4 attachment points with metal to metal construction. The foam is glued to the seat frame.

B. ARM WOOD PANELS

The arm wood panels contain an inner plywood shape 7/16" thick, and are fabricated to allow modular construction and ease of part field replacement. 2.1 lbs. high density, high resiliency foam 1" thick (2195) on top of arm panels adds extra comfort and support. The arm panel is attached to the base frame with 12 bolts, using metal to metal case-hardened fasteners. The outside arm is covered by a thin layer of foam for improved protection of outer edge of the wood and improved aesthetics and is glued to the arm panel.

C. BASE FRAME

1 1/4" steel tubular construction welded together to form a singular part. Arm panels, back and seat are bolted to frame for solid construction yet remains modular for ease of parts replacement. Plastic nylon glides are attached to the end of each leg to protect floor surface.

D. MODULAR CONSTRUCTION

Parts are bolted together. Delivered fully assembled.

Note: multiple aesthetic options available.

DIMENSIONS

Model 1301

Overall Width (Outer armrest to outer armrest)	39"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Width	24.5"
Back Width	24.5"
Back Height (From compressed seat)	13.5"
Seat Height	18.5"
Seat Depth	21"



Model 1302

Overall Width (Outer armrest to outer armrest)	68"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Cushion Width	49.5"
Back Width per Seat	49.5"
Back Height (From compressed seat)	13.5"
Seat Height	18.5"
Seat Depth	21"



DIMENSIONS

Model 1303

Overall Width (Outer panel to outer panel)	92.5"
Overall Depth (Front seat to back of back rest)	34"
Overall Height (Floor to top of back rest)	29"
Seat Cushion Width	73.5"
Back Width per Seat	73.5"
Back Height (From compressed seat)	13.5"
Seat Height	18.5"
Seat Depth	21"





ISO 14001 & ISO 9001 CERTIFIED
TB117-2013 COMPLIANT

Made in a 100% waste free manufacturing facility.



DIMENSIONS DISCLAIMER

Dimensions were taken from specified locations on our standard model, and reflect user-experience with our product. Dimensions can vary according to selected customizable options. Dimensions for space planning or shipping are provided upon request.

TEXTILE DISCLAIMER

Nightingale only upholsters with top quality materials.

Nightingale recommends ordering product samples at www.nightingalechairs.com/textiles before final purchase to get a more accurate representation of color. However, due to slight variations in dye lots, there can be slight color variations to received product.

Nightingale has made every effort to represent the colors and textures of these textiles, vinyls and leathers as accurately as possible. However, we cannot guarantee 100% accuracy, due to variations that occur in the printing process.



nightingalechairs.com

800 363 8954