

FEATURES



Model 700 UPH-CH

A. TRANSLUCENT ABLEX MESH

Allows for comfortable air circulation and dynamic ergonomic support.

B. UPHOLSTERED SEAT

Optional upholstery provides a comfortable sit in any environment.

C. WATERFALL SEAT DESIGN

To reduce muscle fatigue.

D. STEEL FRAME

No fuss, sturdy frame with angled legs for strength and stability.

E. OPTIONAL CARPET CASTERS

For easy movement.

DIMENSIONS

Model 700

Overall Width (Outer armrest to outer armrest)	23"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	32"
Seat Width	18"
Back Width	18"
Back Height (From compressed seat)	17"
Arm Width (Inner arm pad to inner arm pad)	20"
Arm Height	8"
(Compressed seat to top of armrest)	0
(Compressed seat to top of armrest) Seat Height	17"



Model 701

Overall Width (Outer armrest to outer armrest)	21"
Overall Depth (Front seat to back of back rest)	22"
Overall Height (Floor to top of back rest)	32"
Seat Width	18"
Back Width	18"
Back Height (From compressed seat)	17"
Arm Width (Inner arm pad to inner arm pad)	N/A
Arm Height (Compressed seat to top of armrest)	N/A
Seat Height	17"
Seat Depth	18"





ISO 14001 & ISO 9001 CERTIFIED TB117-2013 COMPLIANT

Made in a 100% waste free manufacturing facility.









DIMENSIONS DISCLAIMER

Dimensions were taken from specified locations on our standard model, and reflect user-experience with our product. Dimensions can vary according to selected customizable options. Dimensions for space planning or shipping are provided upon request.

TEXTILE DISCLAIMER

Nightingale only upholsters with top quality materials.

Nightingale recommends ordering product samples at **www.nightingalechairs.com/textiles** before final purchase to get a more accurate representation of color. However, due to slight variations in dye lots, there can be slight color variations to received product.

Nightingale has made every effort to represent the colors and textures of these textiles, vinyls and leathers as accurately as possible. However, we cannot guarantee 100% accuracy, due to variations that occur in the printing process.

